Applicant: Ching-Hsiang Hsu Attorney's Docket No.: 12841-006001

Serial No.: 10/645,054

Filed : August 21, 2003

Page : 8 of 8

REMARKS

In response to the office communication dated July 28, 2004, Applicant elects the invention of Group I, i.e., claims 1-11, drawn to a composition including three or four herbs. Applicant further elects *Magnolia biondii Pamp*. as the single species. The election is made without traverse.

Applicant has withdrawn claims 12-41, added the term "Flos Magnoliae" in the Specification and new claims 42-44 reciting this term. Note that this term is the English translation of "Xin-Yi" or "Xin-Yi Hua" recited at page 2, line 4 of the Specification. See two on-line publications, a copy of which is attached hereto as "Exhibit A" and "Exhibit B." According to these two publications, Flos Magoliae includes the flowers of Magnolia biondii Pamp., Magnolia denudata Desr., Magnolia sprengeri, and Magnolia lilifora Desr., all of which are recited at page 3, lines 5-6 of the Specification. No new matter has been introduced by the above amendments.

Applicant asks that elected claims 1-11, as well as claim 42 dependent from claim 1, be examined in view of the above amendments.

Enclosed in a check for the Petition for Extension of Time fee. Please apply any charges to Deposit Account No. 06-1050, referencing Attorney's Docket No.: 12841-006001.

Respectfully submitted,

Reg. No. 54, 894

Date: 10-28-2004

Y. Rocky Tsao Reg. No. 34,053

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110-2804 Telephone: (617) 542-5070

Facsimile: (617) 542-8906

20965638.doc

SEST AVAILABLE COPY





Home Cooperation Products Services News E-Shop Enwei Culture About Enwei



Category

For External Use

For Internal Use

Daily Necessity

Herbs&the Single Concentrated Powder

Health Products

Latest Products

Product Data

Skinpro Lotion

Skinpro Effervescent Tablet

Universor Tablet

on HIV/AIDS new

Herba GRA

Oral Guard Gargle

Mongor Tablet

Wind Clearance Spray

Clear Thoroughfare

Granule new

Flow Qi Capsule

Woman Harmony Tablet

Wellcare Tablet

Tian Ranzhibao

Fatty Less Tablet

Howeko Oral Liquid

Xin yi(Flos Magnoliae)

Origin

Xinyi is dried flower-buds of Magnolia liliflora, M.) Biondii or M. Denudata, family Magnoliaceae.

Property, taste and attributive meridian

Pungent in taste, cold in nature, and attributive to liver, stomach channel.S

Function and indications

Expel wind and cold, clear the nasal passage. Indicated for rhinorrhea with turbid discharge, headache due to cold, stuffy nose, running nose, presently also for acute and chronic rhinitis and naso sinusitis.

Modern research

Chemical components: volatile oil 3.4% is contained in flower-bud.

Pharmacological action.

- 1. Local astringency, stimulation and anesthesia.
- 2. Antianaphylaxis and anti-inflammation.
- 3. Lowering blood pressure.
- 4. exciting uterus.

Xinyi decoctum and infusum can excite unpregnant uterus of rats and rabbits in vitro and strengthen contraction amplitude, frequency and tensity, high density can cause tonic contraction.

- 5. Anti-platelet aggregation.
- 6. Antimicrobial action.

Xinyi has different inhibition on staphylococcus aureus, streptococcus pneumoniae, II- streptococcus, diphtheria bacilli, dysentery bacilli, pyocyaneus, escherichia coli, etc. in vitro.

Clinical application

Treating rhinitis and nascsinusitis.

Copyright © 2001 Enwei Group. All Rights Reserved. E-mail: <u>trade@enwei.com</u> http: <u>www.enwel.com</u>
Phone: (86-28)85158581 Fax: (86-28) 85157212

Post Code: 610041

Address: No 28#, Chuangye Road, Hi-tech Development Zone, Chengdu, P.R.China

Home Company & Products Customer Care # Herb Database Contact

Herbasin Chinese herb database - Flos Magnoliae (Xin Yi)

DESCRIPTION

Flower of Magnolia bilndii Long ovoid, like the tip of a writing brush, 1.2~2.5 cm long, 0.8~1.5 cm lenticels Bracts 2~3 layers, each layer 2 segments, bearing small scaly buds between 2 layers of bracts, outer surface of bract densely covered with grayish-white of grayish-green tomenta, inner surface brownish, glabrous. Perianth-segments 9, brownish, outer ones 3, stripe-shaped, about 1/4 in length of the inner ones, sepaloid, inner ones 6, arranged in 2 whorls of 3. staments and pistils numerous, spirally arranged. Texture light and fragile. Odour, aromatic; taste, pungent, in diameter. Mostly the base with a pedicel, about 5 mm long, exhibiting whitish dotted cool and slightly bitter.

BEST AVAILABLE COPY

Flower of Magnolia denudate 1.5∼3 cm long, 1∼1.5 cm in diameter. Base with a stouter pedicel, lenticels brownish. Outer surface of bract densely covered with grayish-white or grayish-green hairs. Perianth-segments 9, outer whorls and inner whorls homogeneous.

sometimes the outermost bracts appearing blackish-brown after the hairs fallen off. Perianth-Flower of Magnolia sprengeri 2~4 cm long, 1~2 cm in diameter. Pedicels stout, lenticels redbrown. Outer surface of bract densely covered with yellowish of yellowish-green tomenta, segments 10~12~15, less differentiated between the outer and inner whorls.



ACTION

To dispel wind-cold and relieve nasal obstruction.



INDICATIONS

Headache and nasal obstruction in colds; sinusitis with purulent discharge.

d's

Biond Magnolia Flower

Chinese Name

English Name

Biond Magnolia Flower is the dried flower bud of Magnolia bilndii Pamp, Magnolia denudata Desr. or. Magnolia sprengen Pamp. (Fam. Magnoliaceae).⊃

Nature and Affinity

Pungent to the taste, warm in nature, and distributes to the Lung and Stomach Channels,

Main Active Ingredient

Magnolin (C23H2807)

Precaution

Storage

Preserve in a cool and dry place, protected from moisture and moth.



REFERENTIAL ADVICE

1. Dispersing evil wind-heat from superficies

For the treatment of cold due to invasion by evil wind and cold, marked by headache, obstruction of the nose, etc., It may be combined with Radix Angelicae Dahuricae, Radix Ledebouriellae, Rhizoma Ligustici Chuanxiong, etc.

2. Removing obstruction of nose.

of sinusitis. For the treatment of nose sinusitis due to invasion by wind-cold, it may be comvined with Racix Angelicae Dahuricae, Herba Asari, etc.; for that due to wind-heat, it may ve combined nasal discharge, loss of smelling; usually it is regarded as a medicine specially for the treatment It is indicated in sinusitis and headache, accompanied with obstruction of the nose, purulent with Herba Menthae, Racix Scutellariae, etc/

Now, it is often used for chronic rhinitis, allergic, rhinitis, and maxillary sinusitis. And medicinal powder are often used for local administration by dripping, insufflating or smearing; they often reveal satisfacory effects.



TIPS

Incompatible with Astragalus membranaceus.

Copyright© 2001-2003, Herbasin (Shenyang) Co., Ltd. All Rights Reserved. For web site problems or comments, please e-mail webmaster@herbasin.com